## Belladorm Comfort / Pro

### The nursing bed for the cost-conscious

Max.
patient
weight
170 kg

Safe working load 210 kg

Available in **2 widths** 

Height
adjustment
range
20 - 60 cm or
40 - 80 cm







- The Belladorm Pro is supplied with wooden panelling for the head and foot area to cover the lifting motors.
- > The functional stand-up aid was specially developed for the Belladorm series.





At ISKOmed, the **Belladorm series** stands above all for a lot of ground clearance. With a lifting system integrated at the head and foot end, there are no tubes or struts under the bed to interfere with the high stability of the bed. For patients who use a lift, Belladorm is therefore the first choice. The care bed is registered as an aid with the health and care insurance companies.

#### **Product details**

- | Single bed lying surface 80 90 x 200 cm
- Available in 4 versions: Comfort without wood panelling,

  Pro with concealed lift motors and each Low version with lower entry
- 4-section lying surface with metal grid support
- Lower leg support with ratchet function leg elevation possible via control by patient
- Electric adjustment for height, head and leg section
- Hand control with 5 functions and locking options
- Trendelenburg and anti-Trendelenburg positioning possible
- Powerful motor system (24V) with external power supply unit
- Individually braked swivel castors





#### **Product images**









The product images on this page show different variants:

Image 1 shows the "comfort" variant with a height adjustment range of 40 – 80 cm. Image 2 shows the variant "pro" with a height adjustment range of 20 – 60 cm. On image 3 you can see the bed with the optional stand-up aid. The 4th image shows the deluxe wooden cases for both variants "comfort" and "pro". The final product changes optically with optional equipment ("Extra equipment/optional" on next page), such as side rail coverings made of imitation leather or fabric. If you have any questions regarding an order, please do not hesitate to to contact us  $\boxtimes$ .

# ursing bec

#### **Technical Data**



Mattress width: 80 - 90 cm

Mattress length: 200 - 220 cm

Bed height: 20 - 60 cm / 40 - 80 cm

Max. patient weight: 170 kg

Safe working load: 210 kg

#### Extra equipment / optional

Width: 80 cm

Width: 90 cm

Length: 200 cm

Length: 220 cm

Height adjustment range: 20 - 60 cm

Height adjustment range: 40 - 80 cm

Standard wood cladding

Deluxe wooden case

Easy EX light stand-up aid (NS-035-LC)

| Side rail cover imitation leather (NS-049-1)

Side rail cover fabric (NS-049-0)

Patient lifting pole 3-legged (NS-261-0)

